

DIRECTOR GENERAL HEALTH REPUBLIC OF SOUTH AFRICA

PRETORIA

Private Bag X828, PRETORIA, 0001, Dr AB Xuma Building, 1112 Voortrekker Rd, Pretoria 351-JR, Pretoria, 0187, Tel (012) 395 8402 CAPE TOWN

P.O. Box 3875, CAPE TOWN, 8000, 103 Parliament Towers, Room 615, 20 Plain Street, CAPE TOWN, 8000 Tel (021) 461 2040 Fax (021) 461 6864

TO:

HEADS OF PROVINCIAL HEALTH DEPARTMENTS DISTRICT, HOSPITAL AND PHC MANAGERS COVID-19 VACCINE PROGRAMME MANAGERS COVID-19 VACCINATION SITE MANAGERS COVID-19 VACCINATORS

NATIONAL VACCINATION PROGRAMME CIRCULAR 5 OF 2022

UPDATE TO COVID-19 VACCINATION SCHEDULE FOR IMMUNOCOMPROMISED ADULTS

- 1. This circular replaces the circular "VACCINATION OF IMMUNOCOMPROMISED ADULTS" issued on 26th November 2021.
- 2. From Monday, 11th April 2022, **additional and booster doses** administered to **immunocompromised adults** may be **heterologous or homologous**.
- 3. Immunocompromised adults may therefore receive **either of the two schedules** shown below.

Primary Schedule			Booster doses			
One dose		Additional dose		First booster		Second booster
COVID-19 vaccine Janssen [®]	28 days to three month interval	COVID-19 vaccine Janssen® OR Comirnaty® Vaccine	60 day interval	COVID-19 vaccine Janssen® OR Comirnaty® Vaccine	90 day interval	COVID-19 vaccine Janssen® OR Comirnaty® Vaccine
		ONE OF THESE THREE DOSES MUST BE A COMIRNATY® VACCINE				

OR

Primary Schedule						
1 st dose		2 nd dose		Additional dose	Во	ooster
Comirnaty® Vaccine	21 day interval	Comirnaty® Vaccine	28 days to three month interval	Comirnaty® Vaccine OR COVID-19 vaccine Janssen®	90 day interval	Comirnaty® Vaccine OR COVID-19 vaccine Janssen®

- 4. All other guidance outlined in the circular of the 26th November 2021 remains in place, and is shown below.
- 5. The following individuals are considered to be immunocompromised:

Individuals with the following conditions:
Haematological or immune malignancy
Moderate to Severe Primary immunodeficiency disorder
HIV infection with CD4 count < 200 cells/µL within the last 6 months
Asplenia
Individuals receiving the following treatments:
High dose steroids or systemic biologics (e.g. for autoimmune conditions)
Long term renal dialysis

- Transplant recipients (solid organ or bone marrow)
- 6. It is recommended that the additional dose be **given between one and three months after the previous dose** with the recommended period being at the discretion of the referring clinician. The advice regarding the recommended interval between the additional and previous doses provided by the clinician on the referral form (see Annexure A attached) should be followed by the vaccinator. There is no upper limit with regards the time interval between the additional and the previous dose.
- 7. The EVDS will allow additional doses to be **recorded as long as at least 28 days** have elapsed since the previous dose was administered.
- 8. Additional doses should only be administered to individuals 18 years and older.

Process for accessing an additional dose

- 9. Additional doses must be prescribed by a doctor or a nurse prescriber who must complete the referral form that is contained in Annexure A. The referring doctor or nurse must retain a copy of the referral form.
- 10. Immunocompromised individuals can register for an additional vaccination dose on the EVDS Registration Portal (https://vaccine.enroll.health.gov.za) by selecting the relevant button on the landing page. The individual should use the same identity number used for EVDS registration, and answer the Yes/No questions presented.
- 11. Alternatively, the person can present at a vaccination site where they will be **assisted** to register.
- 12. Upon successful registration, **an SMS will be sent to the mobile number** on record for the individual on the EVDS. The vaccination code for these doses will start with the prefix AD-IC-XXXXXXXX. It will therefore be possible to identify them through this code.

- 13. The individual should **present with the completed referral letter** or **an equivalent letter issued by their medical scheme** at a vaccination site.
- 14. Based on the contents of the referral form, the vaccinator must confirm that the individual meets the criteria to receive an additional dose on the basis of being immunocompromised. This must be recorded on the EVDS. The MP number of the referring doctor or the South African Nursing Council annual practicing certificate number of the referring professional nurse must also be recorded on the EVDS.
- 15. The additional dose should then be administered and recorded on the EVDS. As noted above, the individual must receive the same vaccine as they have previously received (see paragraph 4).
- 16. Additional doses will appear on an individual's vaccine certificate.
- 17. A copy of the completed form must be kept at the vaccination site.

DR SSS BUTHELEZI

DIRECTOR-GENERAL: HEALTH

DATE: 07/04/2022



ANNEXURE A: COVID-19 VACCINATION: REQUEST FOR ADMINISTRATION OF AN ADDITIONAL DOSE

DETAILS OF V	ACCINEE				
Name					
Date of birth					
ID number (or	equivalent)				
Address					
Mobile number	•				
Email					
COVID-19 VAC	CINATION:	DOSES ADMINI	STERED TO D	DATE (if ava	ailable)
Vaccine:	Date		Vaccine:	Dat	e:
			000	firm that th	aic individual ic aligible
to receive an a	dditional do	so of Covid vacc			nis individual is eligible lity criteria shown below
				the eligibli	ity criteria snown below
(iiisert the nan	ie oi reieirii	ng doctor or nur	se).		
Individuals wit	h the follow	ring conditions:			
Haematological					
		/ immunodeficien			
HIV infection wi	th CD4 cour	nt < 200 cells/µL v	within the last 6	6 months	
Asplenia					
		ollowing treatme			
		mic biologics (e.g	. for autoimmu	<u>ine conditio</u>	ns)
Long term rena					
Transplant recip	pients (solid	organ or bone ma	arrow)		
VACCINE THA	T SHOULD	BE ADMINISTER	RED		
Name of Vaccine			Date (if app	licable)	
DETAILS OF R	EQUESTING	DOCTOR OR F	PROFESSION	AL NURSE	
Full Name					
HPCSA or SAN	NC annual p	racticing number			
Institution or pr	actice				
Contact number	er				
Date					
Signature:					
oignataro.					